

## § 29.1168

Unripe, close leaf structure, heavy. Injury tolerance 30 percent, of which not over 10 percent may be waste.

M5KM—Low Quality Variegated Mixed Groups

Unripe, tight leaf structure, heavy. Injury tolerance 40 percent, of which not over 20 percent may be waste.

M4GK—Fair Quality Green Variegated Mixed Groups

Immature, close leaf structure, heavy. Injury tolerance 30 percent, of which not over 10 percent may be waste.

M5GK—Low Quality Green Variegated Mixed Groups

Immature, tight leaf structure, heavy. Injury tolerance 40 percent, of which not over 20 percent may be waste.

[49 FR 16756, Apr. 20, 1984]

### § 29.1168 Nondescript (N Group).

Extremely common tobacco which does not meet the minimum specifications or which exceeds the tolerance of the lowest grade of any other group except Scrap.

*Grades, Grade Names, Minimum Specifications, and Tolerances*

N1L—

Best Nondescript from the P Group

Tolerance: 50 percent waste.

N1XL—

Best Nondescript from the X Group

Tolerance: 50 percent waste.

N1K—

Best Nondescript from the B or H Groups

Tolerance: 50 percent injury or waste.

N1R—

Best, Heavy, Dark-colored Nondescript from the B Group

Tolerance: 50 percent injury or waste.

N1KV—

Best, Variegated, Medium-bodied Greenish

Nondescript from the B Group

Tolerance: 50 percent waste.

N1GL—

Best, Thin, Crude Green Nondescript from the P or X Groups

Tolerance: 50 percent crude or waste.

N1GF—

Best, Fleishy, Medium-colored, Crude Green Nondescript from the B Group

Tolerance: 50 percent crude, injury or waste.

N1GR—

Best, Heavy, Dark-colored, Crude Green Nondescript from the B Group

Tolerance: 50 percent crude, injury or waste.

N1GG—

## 7 CFR Ch. I (1–1–98 Edition)

Best, Crude, Gray Green Nondescript from the B Group

Tolerance: 50 percent crude, injury or waste.

N1PO—

Oxidized Tobacco from the P Group

Tolerance: 50 percent waste.

N1XO—

Oxidized Tobacco from the X or C Groups

Tolerance: 50 percent waste.

N1BO—

Oxidized Tobacco from the B or H Groups

Tolerance: 50 percent injury or waste.

N2—

Poorest Nondescript of any Group or Color  
Tolerance: Over 50 percent crude, injury or waste.

Pursuant to Rule 25, this grade also includes crude or green tobacco containing 10 percent or less of oxidized.

[54 FR 7926, Feb. 24, 1989]

### § 29.1169 Scrap (S Group).

A byproduct of stemmed and unstemmed tobacco. Scrap accumulates from handling tobacco in farm buildings, warehouses, packing and conditioning plants, and stemmeries.

*Grade, Grade Name and Specifications*

S—Scrap. Loose, whole, or broken unstemmed leaves; or the web portion of tobacco leaves reduced to scrap by any process.

[42 FR 21092, Apr. 25, 1977, as amended at 49 FR 16756, Apr. 20, 1984]

## SUMMARY OF STANDARD GRADES

### § 29.1181 Summary of standard grades.

#### 23 GRADES OF LEAF

B1L	B1F	B1FR	
B2L	B2F	B2FR	
B3L	B3F	B3FR	B3K
B4L	B4F	B4FR	B4K
B5L	B5F	B5FR	B5K
B6L	B6F	B6FR	B6K

#### 10 GRADES OF SMOKING LEAF

H3F		
H4F	H4FR	H4K
H5F	H5FR	H5K
H6F	H6FR	H6K

#### 10 GRADES OF CUTTERS

C1L	C1F
C2L	C2F
C3L	C3F
C4L	C4F
C5L	C5F